

DUTCH HOE | LAWN EDGING IRON | POST HOLE DIGGERS | RAKES | SHOVELS

TOOLBANK

Contact your local representative or branch for details



MAINTAINING A VIBRANT GARDEN

Maintaining a picture perfect garden needn't be a daunting and time consuming process. Staying on top of gardening tasks is key, as although a neglected garden can be brought back to life, little and often maintenance will save time and expense in the long run.



REPAIRING GARDEN FENCING

Fence posts and panels need to be replaced periodically, more often than not due to storm damage or rot.

When erecting new fencing a post hole digger is essential, they enable deep narrow post holes to be dug with relative ease.



TRADITIONAL PATTERN POST HOLE DIGGER

The tough and sturdy fibreglass handles are corrosion resistant and so won't rot or degrade ensuring a longer working life. They feature ergonomic grips with integrated knuckle protectors and industrial grade, hardened steel blades to ensure maximum strength and durability.



SHARP-EDGE POST HOLE DIGGER

Sharp, serrated hardened steel blades provide a more aggressive digging action. Solid fibreglass handles with a steel socket at the blade-to-handle connection point ensures toughness where it matters most. A metric/imperial gauge runs down the length of the handle to determine hole depth.



DUAL PIVOT POST HOLE DIGGER

The dual-pivoting action keeps handle spread to a minimum. This allows for deep, narrow holes to be dug as the handles aren't impeded by the hole walls as the hole deepens. Narrower holes result in less concrete required to backfill around the post.

ROUGH GUIDE | GARDEN MAINTENANCE

LAWN CARE

A well maintained lawn sets off all other elements of a garden, however even a lush lawn is vulnerable to damage, be it through drought, frost, disease or weed infestation. Rejuvenating a damaged or tired lawn often requires the over-seeding of damaged or thinned out areas or possibly even full re-seeding in the case of a badly damaged lawn.

GROUND PREPARATION

Whether re-seeding or over-seeding, good ground preparation is crucial to ensuring successful seed germination and a healthy dense new lawn. Good germination conditions require the tilth of the soil to be quite fine. Whether spreading fresh top soil or preparing existing ground for reseeding, ensure that the correct rake is chosen.

SHARP-EDGE SOIL RAKE

14 recessed tines effectively penetrate and break up compacted earth, while the serrated back blade is ideal for breaking soil down into finer particles and levelling off ready for re-seeding or laying turf. Built to last, the ROUGHNECK® Sharp-Edge Soil Rake is manufactured from heavy duty, carbon steel, connected to a tough and corrosion resistant fibreglass handle.



LANDSCAPING RAKE

Due to its wide head, the ROUGHNECK® Aluminium Landscape Rake is ideal for spreading topsoil across broad areas. The tined side allows topsoil to be worked deep into the lawn bed when over-seeding, whilst the flat reverse side is ideal for smoothing and levelling areas in preparation for re-seeding. The lightweight design makes it easier to use for longer periods.



DEFINING LAWN BORDERS

Neat and tidy lawn borders add that extra layer of polish to a healthy well-groomed garden. Regularly defining lawn borders not only keeps the garden looking in tip top condition, it also prevents grass from creeping into flower beds and across paving and patios.

SHARP-EDGE LAWN EDGING IRON

Trees, conifers, shrubs and bushes are often situated within close proximity of the lawn bed, and so when defining the lawn edges roots are often encountered. The ROUGHNECK® Sharp-Edge Lawn Edging Iron features a sharp serrated blade that makes light work of cutting through turf, even when infested with roots. The large foot treads ensure maximum comfort whilst applying force by foot.



DID YOU KNOW?

All ROUGHNECK® Sharp-Edge tools tough are fitted with a tough and durable fibreglass handle that won't perish or rot due to moisture ingress.

TENDING FLOWER BEDS

Maintaining weed free flower beds can seem like a thankless task, particularly during Spring when weeds can reappear within days of them being removed. However with the right tools and technique unwanted growth can be kept to a minimum.

SHARP-EDGE DUTCH HOE

Tending flower beds with a dutch hoe is an efficient method for keeping weed growth at bay. Working the hoe blade in a back and forth sweeping motion just beneath the soil surface severs the top growth from the roots. The ROUGHNECK® Sharp-Edge Dutch Hoe features a sharpened front blade that makes light work of cutting through roots and breaking down compacted soil. The additional serrated back blade allows for effective back weeding while the sharp serrated side blades are ideal for rasping through thicker weed stems and raking out long stemmed vegetation.




REMOVING SHRUBS, BUSHES AND CONIFERS

On occasions it's necessary to remove old tired shrubs, bushes and conifers that are past their best to make way for newer plants. Deep rooted shrubbery can require a physical workout to remove, however using the right tools can ease the pain.

SHARP-EDGE SHOVEL

ROUGHNECK® Sharp-Edge Shovels are ideal for a wide array of digging tasks including the digging out of unwanted, deeprooted vegetation. The pointed blade penetrates even heavy compacted earth, while the sharp serrated edge rips through buried roots with ease, eliminating the need for extra tools like a cutter mattock or pruning saw.







POST HOLE DIGGER -DUAL-PIVOT

For digging extra deep and narrow holes

- Hardened steel blades
- Offset tubular handles
- Dual-pivot action
- Soft grip







POST HOLE DIGGER -TRADITIONAL PATTERN


For digging deep and narrow holes


- Hardened steel blades
- Tubular fibreglass handles
- Knuckle protection
- Comfort grip






CODE	DESCRIPTION	SIZE			LIST	
R0U68250	Post hole digger - Traditional pattern	1.5m/59"	Label	1	£72.81/€86.24	0 025997 682503







Aluminium landscaping rake 900x1700mm/36x67"

Label

£65.75/€77.88

0 025997 686365



SHARP-EDGE DUTCH HOE 150x1500mm/6x59" FOR EFFECTIVE CULTIVATION AND WEEDING

CONTOURED GRIP

TUBULAR FIBREGLASS HANDLE


TUMBLE LACQUERED FINISH

HEAVY DUTY TINES

HEAT TREATED

SERRATED EDGES

SHARPENED BLADES





CODE DESCRIPTION SIZE Sharp-edge dutch hoe

Label

150x1500mm/6x59"











5 057902 683027

ROUGHNECK®

SHARP-EDGE LAWN EDGING IRON

- Sharp serrated blade
- Heavy duty blade
- Heat treated
- Foot treads
- Tubular fibreglass handle
- Soft grip





CODE

R0U68307

5 057902 683119

LIST

£26.75/€31.69

Sharp-edge lawn edging iron

SIZE

210mmx1000/81/4x391/2"

Label

DESCRIPTION









Contact your local representative or branch for details

TOOLBANK CLECKHEATON Unit 5, Chain Bar Road, Cleckheaton, West Yorkshire,

Cleckheaton, West Yorks BD19 3QF Tel: 0344 463 6020

TOOLBANK CWMBRAN Lake View House, Lake View,

Lake view House, Lake view, Llantarnam Park, Cwmbran, Gwent, NP44 3HP Tel: 0344 463 6060

TOOLBANK DARTFORD

Long Reach, Galleon Boulevard, Crossways Business Park, Dartford, Kent, DA2 60E Tel: 0344 463 6001

TOOLBANK EXETER

Toolbank House, Bittern Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LW Tel: 0344 463 6080

TOOLBANK GLASGOW 25 Cameron Street,

Hillington Park, Glasgow, G52 4JH Tel: 0344 463 6040

TOOLBANK HALESOWEN

Steel Park Road, Coombs Wood Business Park West, Halesowen, West Midlands, B62 8HD Tel: 0344 463 6050

TOOLBANK HATFIELD

Gypsy Moth Avenue, Hatfield Business Park, Hatfield, Herts, AL10 9BS Tel: 0344 463 6035

TOOLBANK NEWCASTLE 331 Dukesway, Team Valley

Trading Estate, Gateshead, Tyne & Wear, NE11 OBH Tel: 0344 463 6085

TOOLBANK NORWICH

Harford House, 50 White Lodge Business Estate, Hall Road, Norwich, Norfolk, NR4 6DG Tel: 0344 463 6010

TOOLBANK SOUTHAMPTON

Nutwood Way, Totton, Southampton, Hampshire, S040 3SS Tel: 0344 463 6070

TOOLBANK WIDNES

Easter Park, Bennetts Lane, Widnes, Cheshire, WA8 OGW Tel: 0344 463 6025

TOOLBANK IRELAND

24 Magna Drive, Magna Business Park, Citywest, Dublin 24, D24 FNYO Tel: +353 (0)1 467 7000

Although we have taken every care to ensure that the descriptions are correct when going to press, Toolbank cannot be held liable for any inaccuracies. Colours may vary from those shown.

TOOLBANK